











2480

#### MERCEDES CLA Shooting Brake: 2ATE051

W1K1186101N240743 First Registrationdate: 7/07/2021

Expertise Mileage: Bodytype:

Gearbox: Automatic Transmission: Front Fueltype: Diesel Number of doors Number of seats 5 Number head rests

Type of rims (mounted) Aluminium Certificate of Conformity Yes Category Passenger Car Registration Certificate Car (BE) Yes

Clean Interior Clean

CLA Shooting Brake CLA 180 d DCT Business Solution 85kW/116pk 5D/P Auto-8 Versionname:

Fiscalpower: Power Kw:

141918

85 Body colour Black Type of rims (mounted) Aluminium Parking lot a104

## Options

Bodywork

Number of keys total Number keys remote Windows electric F Windows electric R Cruise Control Steering wheel multifunctional Seats F heated

Navigation with screen Airco electronic Rims alloy

2 Radio

Front parking sensors Rear parking sensors

### **Limited Technical Inspection**

Idle position Sound engine ок ОК Engine startingtime ок Clutch test ок Exhaust gass Transmission ок ок

### Tyres

	205/60/16/96 V			
Summer tyres:	Fr.L.	Michelin: 2 mm	Fr.R.	Michelin: 2 mm
	Re.L.	Vredestein: 2 mm	Re.R.	Vredestein: 2 mm

Tyre profile depth FL 2.0 Tyre profile depth FR 2.0 Tyre profile depth RL 2.0 Tyre profile depth RR 2.0 Tyre size FL 205/60 R 16 96 V

Tyre size FR 205/60 R 16 96 V Tyre size RL 205/60 R 16 96 V Tyre size RR 205/60 R 16 96 V Tyre type FL Summer Tyre type FR Summer

Tyre type RL Summer Tyre type RR Summer Tyre make FL 261 Tyre make FR 261 Tyre make RL 2480

Assistance equipment

Tyre make RR

Compressor Yes Yes Number of charging cables (normal) 0 Number of charging cables (rapid charge)

# Door panel FL, Worn, Acceptable



Steering wheel, Worn, Acceptable




Windscreen, Bad repair, Replace



Bumper F, Scratch(es), Spot repair







Bonnet, Scratch(es), Polish






Roof pillar L, Dent(s), Acceptable







Door FR, Scratch(es), Polish





Alloy rim RR, Scratch(es), Acceptable



Step R, Dent(s) and scratch(es), Spot repair





Roof, Dent(s), Paintless dent repair



